



Monitor[®]

Tablet Application Flow V1.2.1


Application Name: ecMonitor ACK





1. Select “ecIoT Sensor Cloud Service”
2. Enter username and password
3. Press Login

If you have forgotten your password or username, please contact your supervisor.



While Supervisor setting up the tablet, if :

1. Do not allow staffs to modify the app settings, or
2. Go directly to the “Alert Center” interface

“Tablet Mode” is available for above usages.


- Long press ecMonitor Logo around 5 seconds, “Tablet Mode” will be started.

Enter the alert center


Introduction to Tablet Mode




Login user name
Division name

Each circle represents one building




Introduction to Tablet Mode




-  New alert appears
-  Handling alert (acknowledged)
-  Handled alert (hidden)

Introduction to Tablet Mode




Click the center of the click for handling alerts.

Introduction to Tablet Mode



Introduction to Alert Handling



未處理警報 - 九龍 > 開聯中心

2561	檢測到移動
2559	移動
2558	檢測到移動
2557	檢測到移動
2556	檢測到移動
2554	檢測到移動

警報 2561 (未處理) few moments ago

檢測到移動

觸發日期 : 2019-01-15 09:00:43

位置 : 九龍 > 開聯中心 > 12/F > 正門

即時回覆

On the Way

即時處理

Introduction to Alert Handling



To handle the alert:

1. Check the information to make sure it is correct
2. Choose reply or reason.

SEND

BYPASS
HANDLE

- 3a. Press [SEND]
- 4a. The alert will change to "Acknowledged" status

- 3b. Press [BYPASS HANDLE]
- 4b. The alert will be directly changed to "Handled" status

Introduction to Alert Handling



Handle the " **Acknowledged** " alert:

- 5a. Choose reply / reason
- 6a. Press [SEND]
- 7a. The alert will change to the "**Handled**" status